

Polare von GOE 222 (MVA H,33) (typ 1)

GOE 222 (MVA H,33) - Re = 150000				
Alfa	Cl	Cd	Cl/Cd	Cm
-8.0	-0.0591	0.0261	-2.2644	-0.1826
-7.0	0.0300	0.0235	1.2766	-0.1825
-6.0	0.1715	0.0205	8.3659	-0.1906
-5.0	0.2858	0.0182	15.7033	-0.1945
-4.0	0.4175	0.0184	22.6902	-0.1981
-3.0	0.5148	0.0195	26.4000	-0.1955
-2.0	0.6426	0.0195	32.9538	-0.1981
-1.0	0.7404	0.0195	37.9692	-0.1964
0.0	0.8597	0.0193	44.5440	-0.1980
1.0	0.9628	0.0193	49.8860	-0.1967
2.0	1.0549	0.0193	54.6580	-0.1934
3.0	1.1368	0.0196	58.0000	-0.1881
4.0	1.2201	0.0204	59.8088	-0.1836
5.0	1.3066	0.0217	60.2120	-0.1801
6.0	1.3954	0.0232	60.1466	-0.1774
7.0	1.4638	0.0251	58.3187	-0.1717
8.0	1.5301	0.0268	57.0933	-0.1654
9.0	1.5846	0.0299	52.9967	-0.1588
10.0	1.6354	0.0335	48.8179	-0.1523
11.0	1.6760	0.0377	44.4562	-0.1452
12.0	1.6861	0.0444	37.9752	-0.1366
13.0	1.6854	0.0534	31.5618	-0.1294

GOE 222 (MVA H,33) - Re = 250000

Alfa	Cl	Cd	Cl/Cd	Cm
-8.0	-0.0181	0.0198	-0.9141	-0.1899
-7.0	0.0931	0.0175	5.3200	-0.1932
-6.0	0.2139	0.0158	13.5380	-0.1971
-5.0	0.3317	0.0140	23.6929	-0.2006
-4.0	0.4546	0.0136	33.4265	-0.2039
-3.0	0.5649	0.0139	40.6403	-0.2038
-2.0	0.6793	0.0143	47.5035	-0.2043
-1.0	0.7901	0.0144	54.8681	-0.2045
0.0	0.9001	0.0144	62.5069	-0.2044
1.0	1.0008	0.0145	69.0207	-0.2026
2.0	1.0891	0.0147	74.0884	-0.1983
3.0	1.1590	0.0158	73.3544	-0.1909
4.0	1.2373	0.0172	71.9360	-0.1858
5.0	1.3231	0.0185	71.5189	-0.1824
6.0	1.4030	0.0201	69.8010	-0.1782
7.0	1.4779	0.0219	67.4840	-0.1737
8.0	1.5417	0.0234	65.8846	-0.1670
10.0	1.6615	0.0294	56.5136	-0.1559
11.0	1.6933	0.0345	49.0812	-0.1484
12.0	1.6922	0.0431	39.2622	-0.1397
13.0	1.6925	0.0527	32.1157	-0.1328

GOE 222 (MVA H,33) - Re = 400000				
Alfa	Cl	Cd	Cl/Cd	Cm
-8.0	-0.0090	0.0168	-0.5357	-0.1923
-7.0	0.1059	0.0152	6.9671	-0.1954
-6.0	0.2264	0.0135	16.7704	-0.1994

-5.0	0.3432	0.0126	27.2381	-0.2014
-4.0	0.4638	0.0111	41.7838	-0.2051
-3.0	0.5816	0.0112	51.9286	-0.2066
-2.0	0.6951	0.0113	61.5133	-0.2071
-1.0	0.8081	0.0116	69.6638	-0.2075
0.0	0.9159	0.0116	78.9569	-0.2070
1.0	1.0107	0.0119	84.9328	-0.2039
2.0	1.0807	0.0130	83.1308	-0.1962
3.0	1.1630	0.0141	82.4823	-0.1915
5.0	1.3349	0.0166	80.4157	-0.1843
6.0	1.4093	0.0184	76.5924	-0.1793
7.0	1.4955	0.0197	75.9137	-0.1765
8.0	1.5649	0.0219	71.4566	-0.1715
10.0	1.6760	0.0276	60.7246	-0.1590
11.0	1.6808	0.0355	47.3465	-0.1493
12.0	1.6903	0.0438	38.5913	-0.1418
13.0	1.7196	0.0508	33.8504	-0.1368